



**Safety Data Sheet**  
according to Regulation (EC)  
No. 2015/830



### SECTION 1: Identification of the Substance/Mixture and the Company/Undertaking

- |  |  |                         |            |
|--|--|-------------------------|------------|
| <b>1.1 Product Identifier</b>  | 0133310E   | <b>Revision Date:</b>   | 19/05/2017 |
|  | <b>Product Name:</b> STANDARD PRIMER - A   | <b>Supersedes Date:</b> | 14/04/2017 |
|  |  | <b>Version Number:</b>  | 1          |
| <b>1.2 Relevant identified uses of the substance or mixture and uses advised against</b> | Component of multicomponent industrial coatings - Industrial use.  |                         |            |
| <b>1.3 Details of the supplier of the safety data sheet</b>                              |  |                         |            |
| <b>Importer:</b>   | StonCor Europe<br>9, Rue du Travail - 1400 Nivelles, Belgium   |                         |            |
| <b>Manufacturer:</b>   | StonCor Europe<br>9 Rue du Travail<br>1400 Nivelles<br>Belgium   |                         |            |
|  | Regulatory / Technical Information:<br>+32 67493710 Nivelles, Belgium  |                         |            |
| <b>Datasheet Produced by:</b>  | Solvesi, Anna - ehs@stoncor.com  |                         |            |
| <b>1.4 Emergency telephone number:</b>   | CHEMTREC +1 703 5273887 (Outside US)<br>PPC +1 412 6816669 (Outside US)<br>Centro Antiveleni di Roma +39 06 49978000 (CAV<br>Policlinico Umberto I - Roma)(24h/24h)<br>Emergenza ambientale +39 335-601 32 88 / +39<br>347-949 84 88 / +39 348-246 90 99 |                         |            |

### SECTION 2: Hazard Identification

#### 2.1 Classification of the substance or mixture

Classification according to Classification, Labeling & Packaging Regulation (EC) 1272/2008

#### HAZARD STATEMENTS

Skin Corrosion, category 1B	H314-1B
Skin Sensitizer, category 1	H317
Reproductive Toxicity, category 2	H361
STOT, repeated exposure, category 2	H373
Hazardous to the aquatic environment, Acute, category 1	H400
Hazardous to the aquatic environment, Chronic, category 1	H410

## 2.2 Label elements

### Symbol(s) of Product



### Signal Word

Danger

### Named Chemicals on Label

Tetraethylenepentamine, 2-piperazin-1-ylethylamine, fatty acids, tall-oil, reaction products with tetraethylenepentamine, phenol, dodecyl-, branched

#### HAZARD STATEMENTS

Skin Corrosion, category 1B	H314-1B	Causes severe skin burns and eye damage.
Skin Sensitizer, category 1	H317	May cause an allergic skin reaction.
Reproductive Toxicity, category 2	H361	Suspected of damaging fertility or the unborn child.
STOT, repeated exposure, category 2	H373	May cause damage to organs through prolonged or repeated exposure.
Hazardous to the aquatic environment, Acute, category 1	H400	Very toxic to aquatic life.
Hazardous to the aquatic environment, Chronic, category 1	H410	Very toxic to aquatic life with long lasting effects.

#### PRECAUTION PHRASES

P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
P308+P313	IF exposed or concerned: Get medical advice/attention
P333+P313	IF skin irritation or rash occurs: Get medical advice/attention.

#### ADDITIONAL INFORMATION

CAS 68953-36-6	fatty acids, tall-oil, reaction products with tetraethylenepentamine 01-2119487006-38 (covered by cas1226892-45-0)
----------------	--

## 2.3 Other hazards

No Information

### Results of PBT and vPvB assessment:

No information

## SECTION 3: Composition/Information On Ingredients

### 3.2 Mixtures

#### Hazardous Ingredients

<u>CAS-No.</u>	<u>EINEC No.</u>	<u>Name According to EEC</u>	<u>%</u>
68953-36-6	273-201-6	fatty acids, tall-oil, reaction products with tetraethylenepentamine	50-75
121158-58-5	310-154-3	phenol, dodecyl-, branched	25-50
112-57-2	203-986-2	Tetraethylenepentamine	2.5-10
140-31-8	205-411-0	2-piperazin-1-ylethylamine	2.5-10
84852-15-3	284-325-5	4-nonylphenol, branched	0.1-1.0

<u>CAS-No.</u>	<u>REACH Reg No.</u>	<u>CLP Symbols</u>	<u>CLP Hazard Statements</u>	<u>M-Factors</u>
68953-36-6	01-2119487006-38	GHS05-GHS07-GHS09	H314-317-400-410	
121158-58-5	01-2119513207-49	GHS07-GHS08-GHS09	H315-319-361-410	10
112-57-2	01-2119487290-37	GHS05-GHS06-GHS09	H302-311-314-317-411	
140-31-8	01-2119471486-30	GHS05-GHS06-GHS08	H302-311-314-317-361fd-372-412	
84852-15-3	01-2119510715-45	GHS05-GHS07-GHS08-GHS09	H302-314-361-400-410	10

**Additional Information:** The text for CLP Hazard Statements shown above (if any) is given in Section 16.

## SECTION 4: First-aid Measures

### 4.1 Description of First Aid Measures

**GENERAL NOTES:** When symptoms persist or in all cases of doubt seek medical advice.

**AFTER INHALATION:** Move to fresh air. Consult a physician after significant exposure.

**AFTER SKIN CONTACT:** Use a mild soap if available. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If skin irritation persists, call a physician.

**AFTER EYE CONTACT:** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses. If eye irritation persists, consult a specialist.

**AFTER INGESTION:** Gently wipe or rinse the inside of the mouth with water. Never give anything by mouth to an unconscious person.

### Self protection of the first aider:

No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

### 4.2 Most important symptoms and effects, both acute and delayed

May cause sensitization by skin contact.

### 4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

## SECTION 5: Fire-fighting Measures

### 5.1 Extinguishing Media:

Carbon Dioxide, Dry Chemical, Foam

**FOR SAFETY REASONS NOT TO BE USED:** Alcohol, Alcohol based solutions, any other media not listed above.

### 5.2 Special hazards arising from the substance or mixture

No Information

### 5.3 Advice for firefighters

In the event of fire, wear self-contained breathing apparatus. Dry powderCarbon dioxide (CO2)Halons

## SECTION 6: Accidental Release Measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective equipment.

### 6.2 Environmental precautions

No Information

### 6.3 Methods and material for containment and cleaning up

Pick up and transfer to properly labelled containers. No special environmental precautions required. After cleaning, flush away traces with water.

### 6.4 Reference to other sections

**FURTHER INSTRUCTIONS:** Please refer to EU disposal requirements or country specific disposal requirements for this material. See Section 13 for further information.

## SECTION 7: Handling and Storage

### 7.1 Precautions for safe handling

Use only in area provided with appropriate exhaust ventilation. Provide sufficient air exchange and/or exhaust in work rooms. When using, do not eat, drink or smoke. Regular cleaning of equipment, work area and clothing.

## 7.2 Conditions for safe storage, including any incompatibilities

**CONDITIONS TO AVOID:** Avoid dust accumulation in enclosed space.

**STORAGE CONDITIONS:** Keep tightly closed in a dry and cool place.

## 7.3 Specific end use(s)

No specific advice for end use available.

# SECTION 8: Exposure Controls/Personal Protection

## 8.1 Control parameters

### Ingredients with Occupational Exposure Limits

(IR)

<u>Name</u>	<u>CAS-No.</u>	<u>LTEL ppm</u>	<u>STEL ppm</u>	<u>STEL mg/m3</u>	<u>LTEL mg/m3</u>
fatty acids, tall-oil, reaction products with tetraethylenepentamine	68953-36-6				
phenol, dodecyl-, branched	121158-58-5				
Tetraethylenepentamine	112-57-2				
2-piperazin-1-ylethylamine	140-31-8				
4-nonylphenol, branched	84852-15-3				

**FURTHER ADVICE:** Refer to the regulatory exposure limits for the workforce enforced in each country. Some components may not have been classified under the EU CLP Regulation.

## 8.2 Exposure controls

### Personal Protection

**RESPIRATORY PROTECTION:** Respirator with a vapour filter (EN 141). Breathing apparatus with filter. In case of insufficient ventilation wear suitable respiratory equipment. No personal respiratory protective equipment normally required. In case of insufficient ventilation wear suitable respiratory equipment. Combination filter: A2-P2.

**EYE PROTECTION:** Tightly fitting safety goggles.

**HAND PROTECTION:** Rubber or plastic gloves. Nitrile rubber. Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact). Protective gloves complying with EN 374. Long sleeved clothing.

**OTHER PROTECTIVE EQUIPMENT:** No Information

**ENGINEERING CONTROLS:** Ensure adequate ventilation, especially in confined areas.

**Chemical Name:**

phenol, dodecyl-, branched

**EC No.:**

310-154-3

**CAS-No.:**

121158-58-5

**DNELs - Derived no effect level**

Route of Exposure	Workers				Consumers			
	Acute effect local	Acute effects systemic	Chronic effects local	Chronic effects systemic	Acute effect local	Acute effects systemic	Chronic effects local	Chronic effects systemic
Oral	Not required							
Inhalation			1.7621 mg/m <sup>3</sup> (local-systemic: not specified)	1.7621 mg/m <sup>3</sup> (local-systemic: not specified)				
Dermal			0.25 mg/kg bw/day (local-systemic: not specified)	0.25 mg/kg bw/day (local-systemic: not specified)				

**PNEC's - Predicted no effect concentration**

Environmental protection target	PNEC
Fresh water	0.074 ug/l
Fresh water sediments	0.226 mg/kg dwt
Marine water	0.0074ug/l
Marine sediments	0.0226 mg/kg dwt
Food chain	
Microorganisms in sewage treatment	
soil (agricultural)	
Air	

**Chemical Name:**

Tetraethylenepentamine

**EC No.:**

203-986-2

**CAS-No.:**

112-57-2

**DNELs - Derived no effect level**

Route of Exposure	Workers				Consumers			
	Acute effect local	Acute effects systemic	Chronic effects local	Chronic effects systemic	Acute effect local	Acute effects systemic	Chronic effects local	Chronic effects systemic
Oral	Not required							
Inhalation		6940 mg/m <sup>3</sup>		1.29 mg/m <sup>3</sup>		26 mg/kg bw/day 2071 mg/m <sup>3</sup>		0.53 mg/kg bw/day 0.38 mg/m <sup>3</sup>
Dermal			0.036 mg/cm <sup>2</sup>	0.74 mg/kg bw/day	1.29 mg/cm <sup>2</sup>	10 mg/kg bw/day	0.56 mg/cm <sup>2</sup>	0.32 mg/cm <sup>2</sup>

**PNEC's - Predicted no effect concentration**

Environmental protection target	PNEC
Fresh water	0.0068 mg/L
Fresh water sediments	0.341 mg/kg
Marine water	0.0068 mg/L
Marine sediments	0.746 mg/kg
Food chain	
Microorganisms in sewage treatment	
soil (agricultural)	0.274 mg/kg
Air	

**Chemical Name:**

2-piperazin-1-ylethylamine

**EC No.:**

205-411-0

**CAS-No.:**

140-31-8

**DNELs - Derived no effect level**

Route of Exposure	Workers				Consumers			
	Acute effect local	Acute effects systemic	Chronic effects local	Chronic effects systemic	Acute effect local	Acute effects systemic	Chronic effects local	Chronic effects systemic
Oral	Not required				0.02 mg/kg bw/day	1.5 mg/kg bw/day		0.3 mg/kg bw/day
Inhalation		21.4 mg/m <sup>3</sup>		3.6 mg/m <sup>3</sup>		5.3 mg/m <sup>3</sup>		0.9 mg/m <sup>3</sup>
Dermal		20 mg/kg bw/day	0.006 mg/cm <sup>2</sup>	3.3 mg/kg bw/day		10 mg/kg bw/day	0.003 mg/cm <sup>2</sup>	1.7 mg/cm <sup>2</sup>

**PNEC's - Predicted no effect concentration**

Environmental protection target	PNEC
Fresh water	0.058 mg/l
Fresh water sediments	215 mg/kg dwt
Marine water	0.0058 mg/l
Marine sediments	21.5 mg/kg bwt
Food chain	
Microorganisms in sewage treatment soil (agricultural)	82.2 mg/l
Air	42.9 mg/kg dwt

**SECTION 9: Physical and Chemical Properties****9.1 Information on basic physical and chemical properties**

<b>Appearance:</b>	AMBER
<b>Physical State</b>	LIQUID
<b>Odor</b>	Ammonical
<b>Odor threshold</b>	Not determined
<b>pH</b>	Not determined
<b>Melting point / freezing point (°C)</b>	Not determined
<b>Boiling point/range (°C)</b>	100 - N.D.
<b>Flash Point, (°C)</b>	116
<b>Evaporation rate</b>	Not determined
<b>Flammability (solid, gas)</b>	Not determined
<b>Upper/lower flammability or explosive limits</b>	Not determined
<b>Vapour Pressure</b>	Not determined
<b>Vapour density</b>	Not determined
<b>Relative density</b>	Not determined
<b>Solubility in / Miscibility with water</b>	Not determined
<b>Partition coefficient: n-octanol/water</b>	Not determined
<b>Auto-ignition temperature (°C)</b>	Not determined
<b>Decomposition temperature (°C)</b>	Not determined
<b>Viscosity</b>	640 cps
<b>Explosive properties</b>	Not determined
<b>Oxidising properties</b>	Not determined

**9.2 Other information**

VOC Content g/l:	15
Grams of VOC per liter of coating product as applied per ISO 11890-1 and/or ISO 11890-2.	
Specific Gravity (g/cm <sup>3</sup> )	0.95

**SECTION 10: Stability and Reactivity****10.1 Reactivity**

No reactivity hazards known under normal storage and use conditions.

**10.2 Chemical stability**

Stable under normal conditions.

**10.3 Possibility of hazardous reactions**

Hazardous polymerisation does not occur.

**10.4 Conditions to avoid**

Avoid dust accumulation in enclosed space.

**10.5 Incompatible materials**

No Information

**10.6 Hazardous decomposition products**

Carbon dioxide (CO<sub>2</sub>), carbon monoxide (CO), oxides of nitrogen (NO<sub>x</sub>), dense black smoke.

**SECTION 11: Toxicological Information****11.1 Information on toxicological effects****Acute Toxicity:**

Oral LD50:	No Information
Inhalation LC50:	No Information

**Irritation:** No information available.

**Corrosivity:** No information available.

**Sensitization:** No information available.

**Repeated dose toxicity:** No information available.

**Carcinogenicity:** No information available.

**Mutagenicity:** No information available.

**Toxicity for reproduction:** No information available.

**STOT-single exposure:** No information available.

**STOT-repeated exposure:** No information available.

**Aspiration hazard:** No information available.

If no information is available above under Acute Toxicity then the acute effects of this product have not been tested. Data on individual components are tabulated below:

<u>CAS-No.</u>	<u>Name According to EEC</u>	<u>Oral LD50</u>	<u>Dermal LD50</u>	<u>Vapor LC50</u>
68953-36-6	fatty acids, tall-oil, reaction products with tetraethylenepentamine	4750 mg/kg oral, rat		
121158-58-5	phenol, dodecyl-, branched	2140 mg/kg (oral, rat)	>2000 mg/kg (Dermal, rabbit)	

112-57-2	Tetraethylenepentamine	2140 mg/Kg (oral, rat)	660 mg/Kg (dermal, rabbit)
140-31-8	2-piperazin-1-ylethylamine	1999 mg/kg, oral, rat	866 mg/kg, dermal, rabbit
84852-15-3	4-nonylphenol, branched		3160 mg/Kg (dermal, rabbit)

**Additional Information:**

No Information

**SECTION 12: Ecological Information****12.1 Toxicity:**

<b>EC50 48hr (Daphnia):</b>	No information
<b>IC50 72hr (Algae):</b>	No information
<b>LC50 96hr (fish):</b>	No information

**12.2 Persistence and degradability:** No information**12.3 Bioaccumulative potential:** No information**12.4 Mobility in soil:** No information**12.5 Results of PBT and vPvB assessment:** No information**12.6 Other adverse effects:** No information

<u>CAS-No.</u>	<u>Name According to EEC</u>	<u>EC50 48hr</u>	<u>IC50 72hr</u>	<u>LC50 96hr</u>
68953-36-6	fatty acids, tall-oil, reaction products with tetraethylenepentamine	No information	No information	
121158-58-5	phenol, dodecyl-, branched	0,017 mg/l (EC50, 48h, Daphnie)	0,53 mg/l (EC50, 72h, algae)	0,017 mg/l (LC50,96h, fish)
112-57-2	Tetraethylenepentamine	No information	No information	
140-31-8	2-piperazin-1-ylethylamine	No information	1000 mg/l (EC50,72h, Algae)	2190 mg/l (EC50, 96h, fish)
84852-15-3	4-nonylphenol, branched		No information	

**Further Ecological Information**

Contains the following ingredients which are classified as water dangerous according to EEC directive No. 76/464/EEC in percentages > 1%.

<u>CAS-No.</u>	<u>Name According to EEC</u>
68953-36-6	fatty acids, tall-oil, reaction products with tetraethylenepentamine
121158-58-5	phenol, dodecyl-, branched
112-57-2	Tetraethylenepentamine
140-31-8	2-piperazin-1-ylethylamine

**SECTION 13: Disposal Considerations**

**13.1 WASTE TREATMENT METHODS:** If recycling is not practicable, dispose of in compliance with local regulations. Waste codes should be assigned by the user based on the application for which the product was used. Empty containers should be taken to an approved waste handling site for recycling or disposal.

<b>European Waste Code:</b>	080111*
<b>Packaging Waste Code:</b>	150110



**SECTION 14: Transport Information**

14.1	UN number	UN 1760
14.2	UN proper shipping name	CORROSIVE LIQUID, N.O.S (fatty acids, tall-oil, reaction products with tetraethylenepentamine)
	Technical name	fatty acids, tall-oil, reaction products with tetraethylenepentamine
14.3	Transport hazard class(es)	8
	Subsidiary shipping hazard	Not applicable
14.4	Packing group	II
14.5	Environmental hazards	Marine Pollutant: Yes (fatty acids, tall-oil, reaction products with tetraethylenepentamine, Phenol, dodecyl-, branched)
14.6	Special precautions for user	Not applicable
	EmS-No.:	F-A, S-B
14.7	Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code	Not applicable

**SECTION 15: Regulatory Information****15.1 Safety, health and environmental regulations/legislation for the substance or mixture:****National Regulations:**

Denmark Product Registration Number:	Not available
Danish MAL Code:	Not available
Danish MAL Code - Mixture:	Not available
Sweden Product Registration Number:	Not available
Norway Product Registration Number:	Not available
WGK Class:	2
Directive 2004/42/CE :	15 g/l (subcat j)

**15.2 Chemical Safety Assessment:**

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

**SECTION 16: Other Information****Text for CLP Hazard Statements shown in Section 3 describing each ingredient:**

H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H361	Suspected of damaging fertility or the unborn child.
H361fd	Suspected of damaging fertility. Suspected of damaging the unborn child.
H372	Causes damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

**Reasons for revision**

Composition Information Changed

Substance and/or Product Properties Changed in Section(s):

01 - Identification

09 - Physical and Chemical Properties

14 - Transportation Information

Statement(s) Changed

This Safety Data Sheet (SDS) has been revised to meet the new EU CLP requirements. There have been both formatting and content changes based on the CLP classification (if applicable), please review each section of the SDS for specific changes.

## List of References:

This Safety Data Sheet was compiled with data and information from the following sources:

The Ariel Regulatory Database provided by the 3E Corporation in Copenhagen, Denmark;  
European Union Commission Regulation No. 1907/2006 on REACH as amended within Commission Regulation (EU) 2015/830;  
European Union (EC) Regulation No. 1272/2008 on the classification, labelling and packaging of substances and mixtures (CLP Regulation) and subsequent technical progress adaptations (ATP);  
EU Council Decision 2000/532/EC and its Annex entitled "List of Wastes".

## Acronym &amp; Abbreviation Key:

CLP	Classification, Labeling & Packaging Regulation
EC	European Commission
EU	European Union
US	United States
CAS	Chemical Abstract Service
EINECS	European Inventory of Existing Chemical Substances
REACH	Registration, Evaluation, Authorization of Chemicals Regulation
GHS	Globally Harmonized System of Classification and Labeling of Chemicals
LTEL	Long term exposure limit
STEL	Short term exposure limit
OEL	Occupational exposure limit
ppm	Parts per million
mg/m <sup>3</sup>	Milligrams per cubic meter
TLV	Threshold Limit Value
ACGIH	American Conference of Governmental Industrial Hygienists
OSHA	Occupational Safety & Health Administration
PEL	Permissible Exposure Limits
VOC	Volatile organic compounds
g/l	Grams per liter
mg/kg	Milligrams per kilogram
N/A	Not applicable
LD50	Lethal dose at 50%
LC50	Lethal concentration at 50%
EC50	Half maximal effective concentration
IC50	Half maximal inhibitory concentration
PBT	Persistent bioaccumulative toxic chemical
vPvB	Very persistent and very bioaccumulative
EEC	European Economic Community
ADR	International Transport of Dangerous Goods by Road
RID	International Transport of Dangerous Goods by Rail
UN	United Nations
IMDG	International Maritime Dangerous Goods Code
IATA	International Air Transport Association
MARPOL	International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978
IBC	International Bulk Container
RTI	Respiratory Tract Irritation
NE	Narcotic Effects

For further information, please contact: Technical Services Department

The information on this sheet corresponds to our present knowledge. It is not a specification and it does not guarantee specific properties. The information is intended to provide general guidance as to health and safety based upon our knowledge of the handling, storage, and use of the product. It is not applicable to unusual or non-standard uses of the product or where instructions and recommendations are not followed.