

Safety Data Sheet according to Regulation (EC) No. 453/2010



29/05/2015

Supercedes Date:

1. Identification of the Substance/Mixture and the Company/Undertaking

1.1 Product Identifier 44410 Revision Date: 02/06/2015

Product Name: STONCHEM 444 LT GRAY

POLYOL

1.2 Relevant identified uses of the

substance or mixture and uses

advised against

No Information

1.3 Details of the supplier of the safety data sheet

Importer: StonCor Europe

9 Rue du Travail, 1400 Nivelles, Belgium

Manufacturer: Stonhard, Division of StonCor Group, Inc.

1000 East Park Avenue Maple Shade, NJ 08052

+1 856 7797500 (US)

Regulatory /Technical Information: +32 67493710 Nivelles, Belgium +39 02253751 Cologno Monzese, Italy

Datasheet Produced by: Darnell, Benjamin - ehs@ stoncor.com

1.4 Emergency telephone number: CHEMTREC +1 703 5273887 (Outside US)

2. Hazard Identification

2.1 Classification of the substance or mixture

Classification according to Classification, Labeling & Packaging Regulation (EC) 1272/2008

HAZARD STATEMENTS

Hazardous to the aquatic environment, Chronic, category 3 H412 Skin Sensitizer, category 1 H317

2.2 Label elements

Symbol(s) of Product



Signal Word

Warning

Named Chemicals on Label

6-methyl-2,4-bis(methylthio)phenylene-1,3-diamine

HAZARD STATEMENTS

Hazardous to the aquatic environment, Chronic, category 3	H412	Harmful to aquatic life with long lasting effects.
Skin Sensitizer, category 1	H317	May cause an allergic skin reaction.
PRECAUTION PHRASES		
	P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
	P273	Avoid release to the environment
	P280	Wear protective gloves/protective clothing/eye protection/ face protection.
	P302+352	IF ON SKIN: Wash with plenty of soap and water.
	P333+313	If skin irritation or rash occurs: Get medical advice /attention.

23 Other hazards

Notapplicable

Results of PBT and vPvB assessment:

The product does not meet the criteria for PBT ${\it NPvB}$ in accordance with Annex XIII.

3. Composition/Information On Ingredients

3.2 Mixtures

Hazardous Ingredients

CAS-No.	EINEC No.	Name According to EEC	<u>%</u>
18275200000 -5052		Reaction product of fatty acids	10-25
13463-67-7	236-675-5	titanium dioxide	2.5-10
106264-79-3	403-240-8	6-methyl-2,4-bis(methylthio)phenylene-1,3-diamine	2.5-10
7631-86-9		silicon dioxide (amorphous)	2.5-10
1344-28-1	215-691-6	alumina oxide	1.0-2.5
68479-98-1	270-877-4	diethylmethylbenzenediamine	1.0-2.5

CAS-No.	REACH Reg No.	CLP Symbols	CLP Hazard Statements	M-Factors
1827520000	0-5			
052				
13463-67-7	01-2119489379-17- 0117			
106264-79-3	01-0000015292-76- 0000	GHS07	H302-317-413	
7631-86-9				
1344-28-1				
68479-98-1		GHS07-GHS08-GHS09	H302-312-319-373-400-410	

Additional Information: The text for CLP Hazard Statements shown above (if any) is given in Section 16.

4. First-aid Measures

4.1 Description of First Aid Measures

GENERAL NOTES: No Information **AFTER INHALATION:** Move to fresh air.

AFTER SKIN CONTACT: Use a mild soap if available. Wash off immediately with soap and plenty of water. **AFTER EYE CONTACT:** Rinse thoroughly with plenty of water, also under the eyelids. Remove contact lenses.

AFTER INGESTION: Gently wipe or rinse the inside of the mouth with water. Do NOT induce vomiting. Never give anything

by mouth to an unconscious person.

Self protection of the first aider:

No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

4.2 Most important symptoms and effects, both acute and delayed

Do notingest May be harmful by inhalation, in contact with skin and if swallowed.

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

5. Fire-fighting Measures

5.1 Extinguishing Media:

Carbon Dioxide, Dry Chemical, Foam

FOR SAFETY REASONS NOT TO BE USED: Alcohol, Alcohol based solutions, any other media not listed above.

5.2 Special hazards arising from the substance or mixture

No Information

5.3 Advice for firefighters

In the event of fire, wear self-contained breathing apparatus. High volume water jet. Hazardous decomposition products formed under fire conditions. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. None.

Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective equipment

6.2 Environmental precautions

Do not allow material to contaminate ground water system. Prevent product from entering drains.

6.3 Methods and material for containment and cleaning up

Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local /national regulations (see section 13).

6.4 Reference to other sections

FURTHER INSTRUCTIONS: Please refer to EU disposal requirements or country specific disposal requirements for this material. See Section 13 for further information.

7. Handling and Storage

7.1 Precautions for safe handling

Use only in area provided with appropriate exhaust ventilation. Wear personal protective equipment Wash hands before breaks and at the end of workday. When using, do not eat, drink or smoke.

7.2 Conditions for safe storage, including any incompatibilities

CONDITIONS TO AVOID: No Information

STORAGE CONDITIONS: Do not freeze. Keep containers tightly closed in a dry, cool and well-ventilated place.

7.3 Specific end use(s)

No specific advice for end use available.

8. Exposure Controls/Personal Protection

8.1 Control parameters

Ingredients with Occupational Exposure Limits

(IR)

<u>Name</u>	% LTEL ppm	STEL ppm STEL mg/m3 LTEL mg/m3 OB	EL Note
Reaction product of fatty acids	10-25		
titanium dioxide	2.5-10	4, 10	
6-methyl-2,4-bis(methylthio)phenylene-1,3-diamine	2.5-10		
silicon dioxide (amorphous)	2.5-10		
alumina oxide	1.0-2.5	104	
diethylmethylbenzenediamine	1.0-2.5		

FURTHER ADVICE: Refer to the regulatory exposure limits for the workforce enforced in each country. Some components may not have been classified at the EU level under the dangerous substances and preparations regulation.

8.2 Exposure controls

Personal Protection

RESPIRATORY PROTECTION: No personal respiratory protective equipment normally required.

EYE PROTECTION: Safety glasses.

HAND PROTECTION: Protective gloves. Long sleeved clothing. Remove and wash contaminated clothing before re-use.

OTHER PROTECTIVE EQUIPMENT: No Information

ENGINEERING CONTROLS: Avoid contact with skin, eyes and clothing. Ensure adequate ventilation, especially in confined areas.

Chemical Name:

titanium dioxide

EC No.: CAS-No.: 236-675-5 13463-67-7

DNELs - Derived no effect level

		W	orkers			Con	sumers	
Route of	Acute effect	Acute effects	Chronic	Chronic effects	Acute effect	Acute effects	Chronic	Chronic effects
Exposure	local	systemic	effects local	systemic	local	systemic	effects local	systemic
Oral		Not	required					700 mg/kg/d
Inhalation			10		_			
Dermal								

PNEC's - Predicted no effect concentration

Environmental protection target	PNEC
Fresh water	0.127
Fresh water sediments	1000
Marine water	1
Marine sediments	100
Food chain	1667
Microorganisms in sewage treatment	100 mg/l
soil (agricultural)	100
Air	

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance: Gray Resin

Physical State Liquid

Odor Slight intrinsic odor

Odor threshold Not determined

pH Neutral

Melting point / freezing point (°C)Not determined

Boiling point/range (°C) 64 - N.D.

Flash Point, (°C) 121

Evaporation rate Not determined Flammability (solid, gas) Not determined

Upper/lower flammability or explosive

limits

N/A - N/A

Vapour Pressure LESS THAN 0.001 mmHg @ 20 C

Vapour density Heavier than air

Relative density Not determined

Solubility in / Miscibility with water Slight

Partition coefficient: n-octanol/water Not determined

Auto-ignition temperature (°C) Not determined

Decomposition temperature (°C) Not determined

Viscosity 600 Cps

Explosive properties Not determined

Oxidising properties Not determined

9.2 Other information

VOC Content g/l:

Grams of VOC per liter of coating product as applied (mixture of Part A and Part B) per ASTMD2369 Method E.

Specific Gravity (g/cm3) 1.046

10. Stability and Reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous polymerisation does not occur.

10.4 Conditions to avoid

No Information

10.5 Incompatible materials

No Information

10.6 Hazardous decomposition products

No Information

11. Toxicological Information

11.1 Information on toxicological effects

Acute Toxicity:

Oral LD50:

Inhalation LC50:

Irritation: No information available.

Corrosivity: No information available.

Sensitization: No information available.

Repeated dose toxicity: No information available.

Carcinogenicity: No information available.

Mutagenicity: No information available.

Toxicity for reproduction: No information available.

STOT-single exposure: No information available.

STOT-repeated exposure: No information available.

Aspiration hazard: No information available.

If no information is available above under Acute Toxicity then the acute effects of this product have not been tested. Data on individual components are tabulated below.

CAS-No.	Name According to EEC	Oral LD50	Dermal LD50	Vapor LC50
13463-67-7	titanium dioxide	10000 mg/m3, oral (rat)		
106264-79-3	6-methyl-2,4-bis(methylthio)phenylene-1,3-diamine	1515 mg/kg (rat)	>2000 mg/kg (rabbit)	

Additional Information:

This product may contain Titanium Dioxide, which is listed by IARC as possibly carcinogenic to humans (Group 2B). This listing is based on inadequate evidence of carcinogenicity in humans and sufficient evidence in experimental animals. This classification is relevant when exposed to titanium dioxide in dust or powder form only, including cured product that is subject to sanding, grinding, cutting, or other surface preparation activities.

12 Ecological Information

12.1 Toxicity:

EC50 48hr (Daphnia):No informationIC50 72hr (Algae):No informationLC50 96hr (fish):No information

12.2 Persistence and degradability:No information

12.3 Bioaccumulative potential:No information

12.4 Mobility in soil:No information

125 Results of PBT and vPvB

assessment

The product does not meet the criteria for PBT NPvB in accordance with Annex XIII.

12.6 Other adverse effects:

No information

CAS-No.	Name According to EEC	EC5048hr	IC5072hr	LC5096hr
18275200000 5052	PReaction product of fatty acids	No information	No information	
13463-67-7	titanium dioxide	>100 mg/l (EC50, 48h, Daphnia magna OECD202)ation	No information	>1000 mg/l
106264-79-3	6-methyl-2,4-bis(methylthio)phenylene-1,3-diamine	0.9 mg/L	No information	7.3 mg/L (rainbow trout)
7631-86-9	silicon dioxide (amorphous)	No information	No information	
1344-28-1	alumina oxide	No information	No information	
68479-98-1	diethylmethylbenzenediamine	No information	No information	

Further Ecological Information

Contains the following ingredients which are classified as water dangerous according to EEC directive No. 76/464/EEC in percentages > 1%.

CAS-No. Name According to EEC

106264-79-3 6-methyl-2,4-bis(methylthio)phenylene-1,3-diamine

68479-98-1 die thylme thylbenzene diamine

13. Disposal Considerations

13.1 WASTE TREATMENT WETHODS: If recycling is not practicable, dispose of in compliance with local regulations. Empty containers should be taken to an approved waste handling site for recycling or disposal.

European Waste Code: 080111 Packaging Waste Code: 150110

14. Transport Information

14.1 UN number N/A

14.2 UN proper shipping nameNot regulated for transport

Technical name N/A

14.3 Transport hazard class(es) N/A

Subsidiary shipping hazard

14.4 Packing group

14.5 Environmental hazards

14.6 Special precautions for user Not applicable

EmS-No.: N/A

14.7 Transport in bulk according to Annex II Not applicable of MARPOL 73/78 and the IBC code

15. Regulatory Information

15.1 Safety, health and environmental regulations/legislation for the substance or mixture:

National Regulations:

Denmark Product Registration Number:

Danish MAL Code:

Sweden Product Registration Number:

Norway Product Registration Number:

WGK Class:

Chemical Safety Assessment:

15.2 No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

16. Other Information

Text for CLP Hazard Statements shown in Section 3 describing each ingredient

H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.

Reasons for revision

This is a new Safety Data Sheet (SDS).

List of References:

This Safety Data Sheet was compiled with data and information from the following sources:

The Ariel Regulatory Database provided by the 3E Corporation in Copenhagen, Denmark ESIS (The European Chemical Substances Information System), provided by the European Commission Joint Research Centre in Ispra, Italy

Annex VI of the EU Council Directive 67/548/EEC

Council Directive 67/548/EEC - Annex I or EU Council Directive 1999/45/EC

European Union (EC) Regulation No. 1272/2008 on the classification, labelling and packaging of substances and mixtures (CLP Regulation)

EU Council Decision 2000/532/EC and its Annex entitled "List of Wastes"

Acronym & Abbreviation Key:

CLP Classification, Labeling & Packaging Regulation

EC European Commission
EU European Union
US United States

CAS Chemical Abstract Service

EINECS European Inventory of Existing Chemical Substances

REACH Registration, Evaluation, Authorization of Chemicals Regulation

GHS Globally Harmonized System of Classification and Labeling of Chemicals

LTEL Long term exposure limit
STEL Short term exposure limit
OEL Occupational exposure limit

ppm Parts per million

mg/m3 Milligrams per cubic meter TLV Threshold Limit Value

ACGIH American Conference of Governmental Industrial Hygienists

OSHA Occupational Safety & Health Administration

PEL Permissible Exposure Limits
VOC Volatile organic compounds

g/l Grams per liter

mg/kg Milligrams per kilogram

N/A Not applicable LD50 Lethal dose at 50%

LC50 Lethal concentration at 50%

EC50 Half maximal effective concentration

IC50 Half maximal inhibitory concentration

PBT Persistent bioaccumulative toxic chemical

vPvB Very persistent and very bioaccumulative

EEC European Economic Community

ADR International Transport of Dangerous Goods by Road RID International Transport of Dangerous Goods by Rail

UN United Nations

IMDG International Maritime Dangerous Goods Code
IATA International Air Transport Association

MARPOL International Convention for the Prevention of Pollution From Ships, 1973 as

modified by the Protocol of 1978

IBC International Bulk Container

For further information, please contact: Technical Services Department

The information on this sheet corresponds to our present knowledge. It is not a specification and it does not guarantee specific properties. The information is intended to provide general guidance as to health and safety based upon our knowledge of the handling, storage, and use of the product. It is not applicable to unusual or non-standard uses of the product or where instructions and recommendations are not followed.