

Safety Data Sheet according to Regulation (EC) No. 453/2010



Identification of the Substance/Mixture and the Company/Undertaking

53XXX/A 1.1 Product Identifier Revision Date: 02/06/2015 Supercedes Date: 29/05/2015

Stonchem 600 Series Mortar Product Name:

Amine - Saturant Amine

1.2 Relevant identified uses of the substance or mixture and uses

advised against

Base component of 2 components coatings - Industrial use.

Details of the supplier of the safety data sheet 1.3

> Importer: StonCor Europe

> > 9 Rue du Travail, 1400 Nivelles, Belgium

Stonhard, Division of StonCor Group, Inc. Manufacturer:

1000 East Park Avenue Maple Shade, NJ 08052

+1 856 7797500 (US)

Regulatory / Technical Information: +32 67493710 Nivelles, Belgium +39 02253751 Cologno Monzese, Italy

Darnell, Benjamin - ehs@ stoncor.com Datasheet Produced by:

CHEMTREC +1 703 5273887 (Outside US) 1.4 Emergency telephone number:

2. Hazard Identification

21 Classification of the substance or mixture

Classification according to Classification, Labeling & Packaging Regulation (EC) 1272/2008

HAZARD STATEMENTS

Acute Toxicity, Oral, category 4	H302
Acute Toxicity, Inhalation, category 4	H332
Hazardous to the aquatic environment, Chronic, category 2	H411
STOT, repeated exposure, category 2	H373
Skin Corrosion, category 1	H314-1

H317

Skin Sensitizer, category 1

Label elements

Symbol(s) of Product



Signal Word

Danger

2.2

Named Chemicals on Label

2,4,6-tris(dimethylaminomethyl)phenol, benzyl alcohol, N-(3-(trimethoxysilyl)propyl)ethylenediamine, 4,4'-methylenebicyclohexanamine, 3-aminomethyl-3,5,5-trimethylcyclohexylamine, cycloaliphatic amine adduct

HAZARD STATEMENTS

Acute Toxicity, Oral, category 4	H302	Harmful if swallowed.
Acute Toxicity, Inhalation, category 4	H332	Harmful if inhaled.
Hazardous to the aquatic environment, Chronic, category 2	H411	Toxic to aquatic life with long lasting effects.
STOT, repeated exposure, category 2	H373	May cause damage to organs through prolonged or repeated exposure.
Skin Corrosion, category 1	H314-1	Causes severe skin burns and eye damage.
Skin Sensitizer, category 1	H317	May cause an allergic skin reaction.
PRECAUTION PHRASES		
	P260	Do not breathe dust/fume/gas/mist/vapours/spray.
	P264	Wash hands thoroughly after handling.
	P270	Do no eat, drink or smoke when using this product
	P273	Avoid release to the environment
	P280	Wear protective gloves/protective clothing/eye protection/ face protection.
	P302+352	IF ON SKIN: Wash with plenty of soap and water.
	P303+361+353	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
	P304+340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
	P314	Get medical advice/attention if you feel unwell.
	P333+313	If skin irritation or rash occurs: Get medical advice/attention.
	P391	Collect spillage.

2.3 Other hazards

Not applicable

Results of PBT and vPvB assessment:

The product does not meet the criteria for PBT \mathcal{N} PvB in accordance with Annex XIII.

3. Composition/Information On Ingredients

3.2 Mixtures

Hazardous Ingredients

CAS-No.	EINEC No.	Name According to EEC	<u>%</u>
1761-71-3	217-168-8	4,4'-methylenebicyclohexanamine	25-50
2855-13-2	220-666-8	3-aminomethyl-3,5,5- trimethylcyclohexylamine	10-25
90-72-2	202-013-9	2,4,6-tris(dimethylaminomethyl)phenol	10-25

38294-67-6	500-103-5	cycloaliphatic amine adduct	10-25
100-51-6	202-859-9	benzyl alcohol	2.5-10
68609-08-5	614-657-1	cyclohexanemethanamine, 5-amino-1,3,3- trimethyl-, reaction products with bisphenol a diglycidyl ether homopolymer	2.5-10
1760-24-3		N-(3-(trimethoxysilyl)propyl)ethylenediamine	2.5-10

CAS-No.	REACH Reg No.	CLP Symbols	CLP Hazard Statements	M-Factors
1761-71-3		GHS05-GHS07-GHS08-GHS09	H302-314-317-373-411	
2855-13-2	01-2119514687-32- 0002	GHS05-GHS07	H302-314-317-412	
90-72-2		GHS07	H315-319	
38294-67-6		GHS07-GHS09	H302-317-411	
68609-08-5		GHS09	H411	
100-51-6		GHS07	H302-319-332	
1760-24-3		GHS05-GHS07	H317-318-332-412	

Additional Information: The text for CLP Hazard Statements shown above (if any) is given in Section 16.

4. First-aid Measures

4.1 Description of First Aid Measures

GENERAL NOTES: When symptoms persist or in all cases of doubt seek medical advice.

AFTER INHALATION: Move to fresh air. Consult a physician after significant exposure.

AFTER SKIN CONTACT: Use a mild soap if available. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.

AFTER EYE CONTACT: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact leases

AFTER INGESTION: Gently wipe or rinse the inside of the mouth with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person.

Self protection of the first aider:

No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

4.2 Most important symptoms and effects, both acute and delayed

Causes severe burns. Harmful in contact with skin and if swallowed. Irritating to eyes and respiratory system.

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

5. Fire-fighting Measures

5.1 Extinguishing Media:

Carbon Dioxide, Dry Chemical, Foam

FOR SAFETY REASONS NOT TO BE USED: Alcohol, Alcohol based solutions, any other media not listed above.

5.2 Special hazards arising from the substance or mixture

No Information

5.3 Advice for firefighters

In the event of fire, wear self-contained breathing apparatus. High volume water jet. Hazardous decomposition products formed under fire conditions. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective equipment

6.2 Environmental precautions

Do not allow material to contaminate ground water system. Prevent product from entering drains.

6.3 Methods and material for containment and cleaning up

Prevent further leakage or spillage if safe to do so. Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local /national regulations (see section 13).

6.4 Reference to other sections

FURTHER INSTRUCTIONS: Please refer to EU disposal requirements or country specific disposal requirements for this material. See Section 13 for further information.

Handling and Storage

7.1 Precautions for safe handling

Use only in area provided with appropriate exhaust ventilation. Wear personal protective equipment. Do not breathe vapours or spray mist

Wash hands before breaks and at the end of workday. When using, do not eat, drink or smoke.

7.2 Conditions for safe storage, including any incompatibilities

CONDITIONS TO AVOID: Direct sources of heat

STORAGE CONDITIONS: Store in original container. Keep locked up or in an area accessible only to qualified or authorised persons. Store in a dry, well ventilated place away from sources of heat, ignition and direct sunlight

7.3 Specific end use(s)

No specific advice for end use available.

8. Exposure Controls/Personal Protection

8.1 Control parameters

Ingredients with Occupational Exposure Limits

(IR)

<u>Name</u>	<u>%</u> LTEL ppm	STEL ppm STEL mg/m3 LTEL mg/m3 OEL Note
4,4'-methylenebicyclohexanamine	25-50	
3-aminomethyl-3,5,5-trimethylcyclohexylamine	10-25	
2,4,6-tris(dimethylaminomethyl)phenol	10-25	
cycloaliphatic amine adduct	10-25	
benzyl alcohol	2.5-10	
cyclohexanemethanamine, 5-amino-1,3,3- trimethyl-, reaction products with bisphenol a diglycidyl ether homopolymer	2.5-10	
N-(3-(trimethoxysilyl)propyl)ethylenediamine	2.5-10	

FURTHER ADVICE: Refer to the regulatory exposure limits for the workforce enforced in each country. Some components may not have been classified at the EU level under the dangerous substances and preparations regulation.

8.2 Exposure controls

Personal Protection

RESPIRATORY PROTECTION: No personal respiratory protective equipment normally required.

EYE PROTECTION: Safety glasses.

HAND PROTECTION: Rubber or plastic gloves. Long sleeved clothing. Remove and wash contaminated clothing before re-use.

OTHER PROTECTIVE EQUIPMENT: No Information

ENGINEERING CONTROLS: Avoid contact with skin, eyes and clothing. Ensure adequate ventilation, especially in confined areas.

Chemical Name:

3-aminomethyl-3,5,5-trimethylcyclohexylamine

EC No.: CAS-No.: 220-666-8 2855-13-2

DNELs - Derived no effect level

		Wo	orkers			Con	sumers	
Route of	Acute effect	Acute effects	Chronic	Chronic effects	Acute effect	Acute effects	Chronic	Chronic effects
Exposure	local	systemic	effects local	systemic	local	systemic	effects local	systemic
Oral		Not	required					0.526 mg/kg bw/
								day

Inhalation Dermal

PNEC's - Predicted no effect concentration

Environmental protection target	PNEC
Fresh water	0.06 mg/l
Fresh water sediments	5.784 mg/kg
Marine water	0.006 mg/l
Marine sediments	0.578 mg/kg
Food chain	
Microorganisms in sewage treatment	3.18 mg/l
soil (agricultural)	1.121 mg/kg
Air	

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance: AMBER

Physical State LIQUID

Odor AMMONICAL

Odor threshold Not determined

pH NOT APPLICABLE

Melting point / freezing point (°C)Not determined

Boiling point/range (°C) 64 - N.D.

Flash Point, (°C) 94

Evaporation rate Not determined

Flammability (solid, gas) Not determined

Upper/lower flammability or explosive

limits

Not determined

 Vapour Pressure
 NOT DETERMINED

 Vapour density
 NOT DETERMINED

Relative density Not determined

Solubility in / Miscibility with water NIL

Partition coefficient: n-octanol/water Not determined

Auto-ignition temperature (°C) Not determined

Decomposition temperature (°C) Not determined

Viscosity 333 CPS

Explosive properties Not determined

Oxidising properties Not determined

9.2 Other information

VOC Content g/l: 80

Grams of VOC per liter of coating product as applied (mixture of Part A and Part B) per ASTM D2369 Method E.

Specific Gravity (g/cm3) 1.004

10. Stability and Reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous polymerisation may occur.

10.4 Conditions to avoid

Direct sources of heat

10.5 Incompatible materials

Strong oxidizing agents.

10.6 Hazardous decomposition products

Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), dense black smoke.

11. Toxicological Information

11.1 Information on toxicological effects

Acute Toxicity:

Oral LD50:

Inhalation LC50:

Irritation: No information available.

Corrosivity: No information available.

Sensitization: No information available.

Repeated dose toxicity: No information available.

Carcinogenicity: No information available.

Mutagenicity: No information available.

Toxicity for reproduction: No information available.

STOT-single exposure: No information available.

STOT-repeated exposure: No information available.

Aspiration hazard: No information available.

If no information is available above under Acute Toxicity then the acute effects of this product have not been tested.

Data on individual components are tabulated below.

CAS-No.	Name According to EEC	Oral LD50	Dermal LD50	Vapor LC50
1761-71-3	4,4'-methylenebicyclohexanamine	1200 mg/kg oral, rat	2110 mg/kg, rat	
2855-13-2	3-aminomethyl-3,5,5- trimethylcyclohexylamine	1030 mg/kg, rat	>2000 mg/kg, rat	
90-72-2	2,4,6-tris(dimethylaminomethyl)phenol	2169 mg/kg oral		
100-51-6	benzyl alcohol	1620 mg∕kg Rat Oral		>4178 mg/m3 Rat Inhalation

Additional Information:

No Information

12. Ecological Information

121 Toxicity:

EC50 48hr (Daphnia):No informationIC50 72hr (Algae):No informationLC50 96hr (fish):No information

12.2 Persistence and degradability:No information

12.3 Bioaccumulative potential:No information

12.4 Mobility in soil:No information

12.5 Results of PBT and vPvB The product does not meet the criteria for PBT VPvB in accordance with Annex XIII.

assessment

12.6 Other adverse effects:No information

CAS-No.	Name According to EEC	EC50 48hr	<u>IC5072hr</u>	<u>LC50 96hr</u>
1761-71-3	4,4'-methylenebicyclohexanamine	No information	No information	
2855-13-2	3-aminomethyl-3,5,5- trimethylcyclohexylamine	No information	>50 mg/l	110 mg/l
90-72-2	2,4,6-tris(dimethylaminomethyl)phenol	No information	No information	
38294-67-6	cycloaliphatic amine adduct	No information	No information	
68609-08-5	cyclohexanemethanamine, 5-amino-1,3,3- trimethyl-, reaction products with bisphenol a diglycidyl ether homopolymer	No information	No information	
100-51-6	benzyl alcohol	230 mg/l	700 mg/l	460 mg/l
1760-24-3	N-(3-(trimethoxysilyl)propyl)ethylenediamine	No information	No information	

Further Ecological Information

Contains the following ingredients which are classified as water dangerous according to EEC directive No. 76/464/EEC in percentages > 1%.

CAS-No.	Name According to EEC
1761-71-3	4,4'-methylenebicyclohexanamine
2855-13-2	3-aminomethyl-3,5,5-trimethylcyclohexylamine

13. Disposal Considerations

^{13.1} WASTE TREATMENT METHODS: If recycling is not practicable, dispose of in compliance with local regulations. Empty containers should be taken to an approved waste handling site for recycling or disposal.

No Information European Waste Code: 150110 Packaging Waste Code:

14. Transport Information

14.1 UN number UN2735

14.2 UN proper shipping name POLYAMINES, LIQUID, CORROSIVE, n.o.s. (CONTAINS 4,4'-METHYLENEBICYCLOHEXA, Technical name

ISOPHORONE DIAMINE)

14.3 Transport hazard class(es)

Subsidiary shipping hazard

14.4 Packing group Ш

14.5 Environmental hazards

14.6 Special precautions for user **Not applicable**

EmS-No.: F-A, S-B

14.7 Transport in bulk according to Annex II

Not applicable of MARPOL 73/78 and the IBC code

15. Regulatory Information

Safety, health and environmental regulations/legislation for the substance or mixture:

National Regulations:

Denmark Product Registration Number:

Danish MAL Code:

Sweden Product Registration Number:

Norway Product Registration Number:

WGK Class:

Chemical Safety Assessment:

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier. 15.2

16. Other Information

Text for CLP Hazard Statements shown in Section 3 describing each ingredient:

H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H373	May cause damage to organs through prolonged or r

repeated exposure.

Toxic to aquatic life with long lasting effects. H411 Harmful to aquatic life with long lasting effects. H412

Reasons for revision

This Safety Data Sheet (SDS) has been revised to meet updated national hazard communication standards which have adopted the provisions of the UN GHS system. There have been both formatting and content changes based on the GHS classification (if applicable), Please review each section of the SDS for specific changes. This Safety Data Sheet (SDS) has been revised to meet the new EU CLP requirements. There have been both formatting and content changes based on the CLP classification (if applicable), please review each section of the SDS for specific changes.

List of References:

This Safety Data Sheet was compiled with data and information from the following sources:

The Ariel Regulatory Database provided by the 3E Corporation in Copenhagen, Denmark ESIS (The European Chemical Substances Information System), provided by the European Commission Joint Research Centre in Ispra, Italy

Annex VI of the EU Council Directive 67/548/EEC

Council Directive 67/548/EEC - Annex I or EU Council Directive 1999/45/EC

European Union (EC) Regulation No. 1272/2008 on the classification, labelling and packaging of substances and mixtures (CLP Regulation)

EU Council Decision 2000/532/EC and its Annex entitled "List of Wastes"

Acronym & Abbreviation Key:

CLP Classification, Labeling & Packaging Regulation

EC European Commission
EU European Union
US United States

CAS Chemical Abstract Service

EINECS European Inventory of Existing Chemical Substances

REACH Registration, Evaluation, Authorization of Chemicals Regulation

GHS Globally Harmonized System of Classification and Labeling of Chemicals

LTEL Long term exposure limit

STEL Short term exposure limit

OEL Occupational exposure limit

ppm Parts per million

mg/m3 Milligrams per cubic meter TLV Threshold Limit Value

ACGIH American Conference of Governmental Industrial Hygienists

OSHA Occupational Safety & Health Administration

PEL Permissible Exposure Limits
VOC Volatile organic compounds

g/l Grams per liter

mg/kg Milligrams per kilogram

N/A Not applicable LD50 Lethal dose at 50%

LC50 Lethal concentration at 50%

EC50 Half maximal effective concentration
IC50 Half maximal inhibitory concentration
PBT Persistent bioaccumulative toxic chemical
vPvB Very persistent and very bioaccumulative

EEC European Economic Community

ADR International Transport of Dangerous Goods by Road RID International Transport of Dangerous Goods by Rail

UN United Nations

IMDG International Maritime Dangerous Goods Code
IATA International Air Transport Association

MARPOL International Convention for the Prevention of Pollution From Ships, 1973 as

modified by the Protocol of 1978

IBC International Bulk Container

For further information, please contact: Technical Services Department

The information on this sheet corresponds to our present knowledge. It is not a specification and it does not guarantee specific properties. The information is intended to provide general guidance as to health and safety based upon our knowledge of the handling, storage, and use of the product. It is not applicable to unusual or non-standard uses of the product or where instructions and recommendations are not followed.