Safety Data Sheet

Prepared In Accordance With HCS 29 C.F.R. 1910.1200



1. Identification of the Substance/Mixture and the Company/Undertaking

1.1 Product Identifier 8018A5 Revision Date: 04/28/2025

Product Name: STONKLEEN CC9 Supersedes Date: 06/18/2024

1.2 Relevant identified uses of the substance or mixture and uses

advised against

Industrial cleaning agent. Advised against: others than recommended

1.3 Details of the supplier of the safety data sheet

Manufacturer: Stonhard, Division of StonCor Group, Inc.

1000 East Park Avenue Maple Shade, NJ 08052

+1 856 7797500 (US)

Datasheet Produced by: ehs@stonhard.com

1.4 Emergency telephone number: +1 703-741-5970 - North America

+1 800-424-9300

+55 11 4349 1359 - South America +52 55 8526 4930 - Central America

+44 20 3885 0382 - Middle East, Eastern Europe, Western Europe, And Africa

+65 3163 8374 - Asia, South Asia, And Oceania

2. Hazard Identification

2.1 Classification of the substance or mixture

Skin Corrosion, category 1

2.2 Label elements

Symbol(s) of Product



Signal Word

Danger

Named Chemicals on Label

Hydrogen peroxide solution ...%

HAZARD STATEMENTS

Skin Corrosion, category 1	H314-1	Causes severe skin burns and eye damage.	
PRECAUTION PHRASES			
	P260	Do not breathe dust/fume/gas/mist/vapours/spray.	
	P264	Wash hands thoroughly after handling.	
	P280	Wear protective gloves/protective clothing/eye protection/ face protection.	
! !	P301+310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.	
	P301+330+331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.	
	P304+340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.	
	P305+351+338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so. Continue rinsing.	
	P363	Wash contaminated clothing before reuse.	

2.3 Other hazards

No Information

Results of PBT and vPvB assessment:

No information

3. Composition/Information On Ingredients

3.2 Mixtures

Hazardous ingredients					
Name According to EEC tripropylene glycol methyl ether	EINEC No. 247-045-4	<u>CAS-No.</u> 25498-49-1	<u>%</u> 25 - <50	<u>Classifications</u>	
dipropylene glycol butyl ether	249-951-5	29911-28-2	25 - <50		
water	231-791-2	7732-18-5	10 - <25		
Hydrogen peroxide solution%	231-765-0 231-765-0	7722-84-1	10 - <25	H302-314-332	Acute Tox. 4 Inhalation, Acute Tox. 4 Oral, Skin Corr.

Ammonia, aqueous 215-647-6 1336-21-6 0.1 - < 1.0 H302-314-400 Acute Tox. 4 Oral, Aquatic

solution ...% Acute 1, Skin Corr. 1

CAS-No. M-Factors

25498-49-1 29911-28-2 7732-18-5 7722-84-1 1336-21-6

Additional Information: The text for GHS Hazard Statements shown above (if any) is given in Section 16.

4. First-aid Measures

4.1 Description of First Aid Measures

GENERAL NOTES: When symptoms persist or in all cases of doubt seek medical advice.

AFTER INHALATION: Move to fresh air. Call a physician or poison control centre immediately.

AFTER SKIN CONTACT: Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.

AFTER EYE CONTACT: Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Remove contact lenses.

AFTER INGESTION: Gently wipe or rinse the inside of the mouth with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person.

Self protection of the first aider:

No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

4.2 Most important symptoms and effects, both acute and delayed

Causes burns. Harmful in contact with skin and if swallowed.

4.3 Indication of any immediate medical attention and special treatment needed

Immediate medical attention is required. No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

5. Fire-fighting Measures

5.1 Extinguishing Media:

Carbon Dioxide, Dry Chemical, Foam

FOR SAFETY REASONS NOT TO BE USED: Alcohol, Alcohol based solutions, any other media not listed above.

5.2 Special hazards arising from the substance or mixture

No Information

5.3 Advice for firefighters

In the event of fire, wear self-contained breathing apparatus. Hazardous decomposition products formed under fire conditions.

Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective equipment.

6.2 Environmental precautions

Should not be released into the environment.

6.3 Methods and material for containment and cleaning up

Pick up and transfer to properly labelled containers. Prevent further leakage or spillage if safe to do so.

6.4 Reference to other sections

Please refer to disposal requirements or country specific disposal requirements for this material. See Section 8 and 13 for further information.

7. Handling and Storage

7.1 Precautions for safe handling

INSTRUCTIONS FOR SAFE HANDLING: Wear personal protective equipment. Avoid contact with skin and clothing. **PROTECTION AND HYGIENE MEASURES:** Wash hands before breaks and at the end of workday. When using, do not eat, drink or smoke.

7.2 Conditions for safe storage, including any incompatibilities

CONDITIONS TO AVOID: Direct sources of heat.

STORAGE CONDITIONS: Keep container tightly closed in a dry and well-ventilated place.

7.3 Specific end use(s)

Application to be in accordance with the technical data sheets.

8. Exposure Controls/Personal Protection

8.1 Control parameters

Ingredients with Occupational Exposure Limits

(US)

Name CAS-No. ACGIH TWA ACGIH STEL ACGIH Ceiling

Hydrogen peroxide solution ...% 7722-84-1 1 PPM

Name CAS-No. OSHA PEL OSHA STEL

Hydrogen peroxide solution ...% 7722-84-1 1.4 MGM3, 1 PPM

FURTHER INFORMATION: Refer to the regulatory exposure limits for the workforce enforced in each country.

8.2 Exposure controls

Personal Protection

RESPIRATORY PROTECTION: No personal respiratory protective equipment normally required. Respirator with filter for organic vapor.

EYE PROTECTION: Tightly fitting safety goggles.

HAND PROTECTION: Impervious gloves. **Body Protection:** Long sleeved clothing.

Remove and wash contaminated clothing before re-use. **OTHER PROTECTIVE EQUIPMENT:** No Information

ENGINEERING CONTROLS: Avoid contact with skin, eyes and clothing. Ensure adequate ventilation, especially in confined areas.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance: Clear-light yellow

Physical State LIQUID
Odor Mild

Odor threshold Not determined

pH 6.0 - 7.0

N/A - N/A

Melting point / freezing point (°C)

Not determined

Boiling point/range (°C) Not determined - N.D.

Flash Point, (°F / °C) >201F / >94C

Evaporation rate Not determined

Flammability (solid, gas) Not determined

Upper/lower flammability or explosive

limits

Vapour Pressure Like water

Vapour density NOT DETERMINED

Relative density Not determined

Solubility in / Miscibility with water Soluble

Partition coefficient: n-octanol/water

Auto-ignition temperature (°C)

Not determined

Decomposition temperature (°C)

Not determined

Viscosity

Explosive properties Not applicable

Oxidising properties

Not applicable

9.2 Other information

VOC Content g/l: Not determined

Grams of VOC per liter of coating product as applied (mixture of Part A and Part B) per ASTM D2369 Method E.

Specific Gravity (g/cm3) 0.147

10. Stability and Reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

No Information

10.4 Conditions to avoid

Direct sources of heat.

10.5 Incompatible materials

No Information

10.6 Hazardous decomposition products

No Information

11. Toxicological Information

11.1 Information on toxicological effects

Acute Toxicity:

Oral LD50: No information Inhalation LC50: No information

Irritation: No information available.

Corrosivity: No information available.

Sensitization: No information available.

Repeated dose toxicity: No information available.

Carcinogenicity: No information available.

Mutagenicity: No information available.

Toxicity for reproduction: No information available.

STOT-single exposure: No information available.

STOT-repeated exposure: No information available.

Aspiration hazard: No information available.

If no information is available above under Acute Toxicity then the acute effects of this product have not been tested. Data on individual components are tabulated below:

<u>CAS-No. Chemical Name</u> <u>Oral LD50 Dermal LD50 Vapor LC50 Gas LC50 Dust/Mist LC50</u>

7722-84-1 Hydrogen peroxide solution ...% 805 mg/kg, oral, 0.000 0.000

Additional Information:

No Information

12. Ecological Information

12.1 Toxicity:

EC50 48hr (Daphnia):

IC50 72hr (Algae):

No information
No information
No information

12.2 Persistence and degradability:No information

12.3 Bioaccumulative potential: No information

12.4 Mobility in soil: No information

12.5 Results of PBT and vPvB No information

assessment:

12.6 Other adverse effects:

No information

CAS-No. Chemical Name EC50 48hr IC50 72hr LC50 96hr

7722-84-1 Hydrogen peroxide solution ...% No information No information

13. Disposal Considerations

13.1 WASTE TREATMENT METHODS: It must undergo special treatment, e.g. at suitable disposal site, to comply with local regulations.

14. Transport Information

14.1 UN number N/A

14.2 UN proper shipping name Not regulated for transport

Technical name N/A

14.3 Transport hazard class(es) N/A

Subsidiary shipping hazard Not applicable

14.4 Packing group N/A

14.5 Environmental hazards
 14.6 Special precautions for user
 Not applicable
 Not applicable

EmS-No.: N/A

14.7 Transport in bulk according to Annex II of

MARPOL 73/78 and the IBC code

Not applicable

15. Regulatory Information

15.1 Safety, health and environmental regulations/legislation for the substance or mixture:

U.S. Federal Regulations: As follows -

CERCLA - Sara Hazard Category

This product has been reviewed according to the EPA 'Hazard Categories' promulgated under Sections 311 and 312 of the Superfund Amendment and Reauthorization Act of 1986 (SARA Title III) and is considered, under applicable definitions, to meet the following categories:

Skin Corrosion or Irritation

Sara Section 313:

This product contains the following substances subject to the reporting requirements of Section 313 of Title III of the U.S. Superfund Amendment and Reauthorization Act (SARA) of 1986 and 40 CFR part 372:

<u>Chemical Name</u> <u>CAS-No.</u> <u>%</u>

Ammonia, aqueous solution ...% 1336-21-6 0.1

Toxic Substances Control Act:

This product contains the following chemical substances subject to the reporting requirements of TSCA 12(B) if exported from the United States:

No TSCA 12(b) components exist in this product.

U.S. Clean Air Act:

EPA Coating Category: Not applicable

EPA VOC Content Limit (g/l): N/A

Product VOC Content (g/l) Not determined

Thinning Recommendations: N/A
Application Recommendations: N/A

U.S. State Regulations: As follows -

New Jersey Right-to-Know:

The following materials are non-hazardous, but are among the top five components in this product.

Chemical NameCAS-No.tripropylene glycol methyl ether25498-49-1dipropylene glycol butyl ether29911-28-2water7732-18-5

Pennsylvania Right-To-Know

The following non-hazardous ingredients are present in the product at greater than 3%.

Chemical NameCAS-No.tripropylene glycol methyl ether25498-49-1dipropylene glycol butyl ether29911-28-2water7732-18-5

California Proposition 65:

No Proposition 65 Chemicals exist in this product.

International Regulations: As follows -

* Canadian DSL:

All chemical ingredients included on inventory or exempt.

15.2 Chemical Safety Assessment:

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

^{*} As per the federal EPA definition for coating categories in 40 CFR 59.401.

^{**} Grams of VOC per liter of coating product as applied (mixture of Part A and Part B) per ASTM D2369 Method E.

Other Information

Text for GHS Hazard Statements shown in Section 3 describing each ingredient:

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H332 Harmful if inhaled.

Reasons for revision

Substance and/or Product Properties Changed in Section(s): 01 - Identification 15 - Regulatory Information Revision Statement(s) Changed

List of References:

This Safety Data Sheet was compiled with data and information from the following sources:

- The Ariel Regulatory Database provided by the 3E Corporation in Copenhagen, Denmark.
- Joint Research Centre in Ispra, Italy.
- Regulation (EC) 1272/2008 with subsequent amendments.
- Regulation (EC) 1272/2006 with subsequent amendments.
- Commission Regulation (EU) 2020/878
- EU Council Decision 2000/532/EC and its Annex entitled "List of Wastes"
- Safety Data Sheet from raw material supplier
- The classification declared in sec. 2.2 is based on the calculation methods set out in Annex I and Annex II of the CLP Reg. 1272/2008 on the composition of the formula.

Acronym & Abbreviation Key:

CLP

Classification, Labeling & Packaging Regulation EC European Commission European Union ΕU United States US Chemical Abstract Service CAS

European Inventory of Existing Chemical Substances EINECS

Registration, Evaluation, Authorization of Chemicals Regulation REACH

Globally Harmonized System of Classification and Labeling of Chemicals GHS

Long term exposure limit LTEL STEL Short term exposure limit OEL Occupational exposure limit

Parts per million ppm mg/m3 Milligrams per cubic meter Threshold Limit Value

American Conference of Governmental Industrial Hygienists ACGIH

Occupational Safety & Health Administration OSHA

Permissible Exposure Limits PEL Volatile organic compounds VOC

Grams per liter g/1

Milligrams per kilogram mq/kq

N/A Not applicable Lethal dose at 50% LD50

Lethal concentration at 50% LC50

EC50 Half maximal effective concentration Half maximal inhibitory concentration IC50 Persistent bioaccumulative toxic chemical PBT Very persistent and very bioaccumulative vPvB

European Economic Community EEC

International Transport of Dangerous Goods by Road ADR

RID International Transport of Dangerous Goods by Rail

UN United Nations

IMDG International Maritime Dangerous Goods Code
IATA International Air Transport Association

MARPOL International Convention for the Prevention of Pollution From Ships, 1973 as

modified by the Protocol of 1978

IBC International Bulk Container
RTI Respiratory Tract Irritation

NE Narcotic Effects

IMO International Maritime Organization

Note P: The classification as a carcinogen or mutagen need not apply; the substance

contains less than 0,1 % w/w benzene

Note 10: The classification as a carcinogen by inhalation applies only to mixtures in

powder form containing 1 % or more of titanium dioxide which is in the form of

or incorporated in particles with aerodynamic diameter \leq 10 μm .

For further information, please contact: Technical Services Department

The information on this sheet corresponds to our present knowledge. It is not a specification and it does not guarantee specific properties. The information is intended to provide general guidance as to health and safety based upon our knowledge of the handling, storage, and use of the product. It is not applicable to unusual or non-standard uses of the product or where instructions and recommendations are not followed.