Safety Data Sheet

Prepared In Accordance With HCS 29 C.F.R. 1910.1200



1. Identification of the Substance/Mixture and the Company/Undertaking

1.1 Product Identifier 8113A5 Revision Date: 04/28/2025

Product Name: STONKLEEN TD9 Supersedes Date: 06/18/2024

1.2 Relevant identified uses of the substance or mixture and uses

advised against

Industrial cleaning agent. Advised against: others than recommended

1.3 Details of the supplier of the safety data sheet

Manufacturer: Stonhard, Division of StonCor Group, Inc.

1000 East Park Avenue Maple Shade, NJ 08052

+1 856 7797500 (US)

Datasheet Produced by: ehs@stonhard.com

1.4 Emergency telephone number: +1 703-741-5970 - North America

+1 800-424-9300

+55 11 4349 1359 - South America +52 55 8526 4930 - Central America

+44 20 3885 0382 - Middle East, Eastern Europe, Western Europe, And Africa

+65 3163 8374 - Asia, South Asia, And Oceania

2. Hazard Identification

2.1 Classification of the substance or mixture

Hazardous to the aquatic environment, Chronic, category 3 Eye Irritation, category 2A Skin Irritation, category 2

2.2 Label elements

Symbol(s) of Product



Signal Word

Warning

Named Chemicals on Label

None

HAZARD STATEMENTS Skin Irritation, category 2

| Eye Irritation, category 2A | H319 | Causes serious eye irritation. |
|--|--------------|---|
| Hazardous to the aquatic environment, Chronic, category 3 | H412 | Harmful to aquatic life with long lasting effects. |
| PRECAUTION PHRASES | | |
| | P264 | Wash hands thoroughly after handling. |
| | P273 | Avoid release to the environment. |
| | P280 | Wear protective gloves/protective clothing/eye protection/ face protection. |
| | P305+351+338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so. Continue rinsing. |
| | P332+313 | If skin irritation occurs: Get medical advice/attention. |
| | P337+313 | If eye irritation persists: Get medical advice/attention. |

Causes skin irritation.

H315

2.3 Other hazards

No Information

Results of PBT and vPvB assessment:

No information

3. Composition/Information On Ingredients

3.2 Mixtures

Hazardous ingredients

| Name According to EEC water | EINEC No. 231-791-2 | <u>CAS-No.</u> 7732-18-5 | <u>%</u> 75-100 | Classifications | |
|--|------------------------|-----------------------------|--------------------|--------------------------|--|
| 2-butoxyethanol | 203-905-0 | 111-76-2 | 2.5 - <10 | H302-311-315-319-3 32 | Acute Tox. 3 Dermal, Acute Tox. 4 Inhalation, Acute Tox. 4 Oral, Eye Irrit. 2, Skin Irrit. 2 |
| Alcohols, C6-C12, ethoxylated, propoxylated | | 68937-66-6 | 2.5 - <10 | | |
| Alcohols, C10-C16, ethoxylated, propoxylated | | 69227-22-1 | 2.5 - <10 | | |

| 614-291-2 | 68130-47-2 | 2.5 - <10 | | |
|------------------------|---|---|--|---|
| 229-912-9 | 6834-92-0 | 1.0 - <2.5 | H314-335 | Skin Corr. 1, STOT SE 3 RTI |
| 227-813-5 | 5989-27-5 | 0.1 - <1.0 | H226-315-317-400-4 10 | Aquatic Acute 1, Aquatic Chronic 1, Flam. Liq. 3, Skin Irrit. 2, Skin Sens. 1 |
| 200-573-9 | 64-02-8 | 0.1 - <1.0 | H302-318-331 | Acute Tox. 3 Inhalation, Acute Tox. 4 Oral, Eye Dam. 1 |
| 500-195-7 | 68131-39-5 | 0.1 - <1.0 | | |
| | 25322-68-3 | <0.1 | | |
| 231-633-2 | 7664-38-2 | <0.1 | H302-314 | Acute Tox. 4 Oral, Skin Corr. |
| 204-589-7 | 067762-41-8 | <0.1 | H302 | Acute Tox. 4 Oral |
| 204-589-7 | 068603-15-6 | <0.1 | H302 | Acute Tox. 4 Oral |
| 215-185-5 215-185-5 | 2836-32-0 | <0.1 | H312 | Acute Tox. 4 Dermal |
| 215-185-5 | 1310-73-2 | <0.1 | H302-312-314 | Acute Tox. 4 Dermal, Acute Tox. 4 Oral, Skin Corr. 1 |
| 225-768-6 | 5064-31-3 | <0.1 | H302-319-331-351 | Acute Tox. 3 Inhalation, Acute Tox. 4 Oral, Carc. 2, Eye Irrit. 2 |
| | 6358-69-6 | <0.1 | | |
| | 1330-38-7 | <0.1 | | |
| | 1934-21-0 | <0.1 | | |
| 204-661-8 | 123-91-1 | <0.1 | H225-319-335-351 | Carc. 2, Eye Irrit. 2, Flam. Liq. 2, Skin Cracking, STOT SE 3 RTI |
| | 7440-50-8 | <0.1 | | |
| | 229-912-9 227-813-5 200-573-9 500-195-7 231-633-2 204-589-7 204-589-7 215-185-5 215-185-5 225-768-6 | 229-912-9 6834-92-0 227-813-5 5989-27-5 200-573-9 64-02-8 500-195-7 68131-39-5 25322-68-3 231-633-2 204-589-7 067762-41-8 204-589-7 068603-15-6 215-185-5 2836-32-0 215-185-5 1310-73-2 225-768-6 5064-31-3 6358-69-6 1330-38-7 1934-21-0 204-661-8 | 229-912-9 6834-92-0 1.0 - <2.5 | 229-912-9 6834-92-0 1.0 - < 2.5 |

CAS-No.

7732-18-5

111-76-2 68937-66-6 69227-22-1

68130-47-2 6834-92-0

5989-27-5

64-02-8 68131-39-5

25322-68-3 7664-38-2

067762-41-8 068603-15-6

2836-32-0

M-Factors

1310-73-2 5064-31-3 6358-69-6 1330-38-7 1934-21-0 123-91-1

7440-50-8

Additional Information:

The text for GHS Hazard Statements shown above (if any) is given in Section 16.

4. First-aid Measures

4.1 Description of First Aid Measures

GENERAL NOTES: No Information **AFTER INHALATION:** Move to fresh air.

AFTER SKIN CONTACT: Use a mild soap if available. Wash off immediately with soap and plenty of water.

AFTER EYE CONTACT: Rinse thoroughly with plenty of water, also under the eyelids. Remove contact lenses.

AFTER INGESTION: Gently wipe or rinse the inside of the mouth with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person.

Self protection of the first aider:

No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

4.2 Most important symptoms and effects, both acute and delayed

Do not ingest. Irritating to eyes and skin.

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

5. Fire-fighting Measures

5.1 Extinguishing Media:

Carbon Dioxide, Dry Chemical, Foam, Water Fog

FOR SAFETY REASONS NOT TO BE USED: Alcohol, Alcohol based solutions, any other media not listed above.

5.2 Special hazards arising from the substance or mixture

No Information

5.3 Advice for firefighters

In the event of fire, wear self-contained breathing apparatus. High volume water jet. Hazardous decomposition products formed under fire conditions. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective equipment.

6.2 Environmental precautions

Do not allow material to contaminate ground water system. Prevent product from entering drains.

6.3 Methods and material for containment and cleaning up

Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).

6.4 Reference to other sections

Please refer to disposal requirements or country specific disposal requirements for this material. See Section 8 and 13 for further information.

7. Handling and Storage

7.1 Precautions for safe handling

INSTRUCTIONS FOR SAFE HANDLING: Use only in area provided with appropriate exhaust ventilation. Wear personal protective equipment.

PROTECTION AND HYGIENE MEASURES: Wash hands before breaks and at the end of workday. When using, do not eat, drink or smoke.

7.2 Conditions for safe storage, including any incompatibilities

CONDITIONS TO AVOID: No Information

STORAGE CONDITIONS: Do not freeze. Keep containers tightly closed in a dry, cool and well-ventilated place.

7.3 Specific end use(s)

Application to be in accordance with the technical data sheets.

8. Exposure Controls/Personal Protection

8.1 Control parameters

Ingredients with Occupational Exposure Limits (US)

| <u>Name</u> | CAS-No. | ACGIH TWA | ACGIH STEL | ACGIH Ceiling |
|-----------------------------------|-----------|-----------|------------|---------------|
| 2-butoxyethanol | 111-76-2 | 20 PPM | 50 PPM | |
| Disodium metasilicate | 6834-92-0 | | | |
| (R)-p-mentha-1,8-diene;d-limonene | 5989-27-5 | | | |

Name CAS-No. OSHA PEL OSHA STEL

2-butoxyethanol 111-76-2 120 MGM3, 25 PPM

Disodium metasilicate 6834-92-0 (R)-p-mentha-1,8-diene;d-limonene 5989-27-5

FURTHER INFORMATION: Refer to the regulatory exposure limits for the workforce enforced in each country.

8.2 Exposure controls

Personal Protection

RESPIRATORY PROTECTION: No personal respiratory protective equipment normally required.

EYE PROTECTION: Safety glasses. **HAND PROTECTION:** Protective gloves. **Body Protection:** Long sleeved clothing.

Remove and wash contaminated clothing before re-use.

OTHER PROTECTIVE EQUIPMENT: No Information

ENGINEERING CONTROLS: Avoid contact with skin, eyes and clothing. Ensure adequate ventilation, especially in confined

areas.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance: Not determined

Physical State Not determined

Odor Not determined

Odor threshold

PH

Not determined

Melting point / freezing point (°C)

Not determined

Not determined

Not determined

Not determined

Not determined

Not determined

Flash Point, (°F / °C)

Evaporation rate

Not determined

Not determined

Not determined

Upper/lower flammability or explosive

limits

Vapour Pressure

Vapour density

Not determined

Relative density

Not determined

Not determined

Not determined

Partition coefficient: n-octanol/water

Auto-ignition temperature (°C)

Not determined

Decomposition temperature (°C)

Not determined

Viscosity

Not determined

Explosive properties

Not determined

Oxidising properties

Not determined

9.2 Other information

VOC Content g/l: 142 g/l

Grams of VOC per liter of coating product as applied (mixture of Part A and Part B) per ASTM D2369 Method E.

Specific Gravity (g/cm3) 0.987

10. Stability and Reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous polymerisation does not occur.

10.4 Conditions to avoid

No Information

10.5 Incompatible materials

No Information

10.6 Hazardous decomposition products

No Information

11. Toxicological Information

11.1 Information on toxicological effects

Acute Toxicity:

Oral LD50: No information Inhalation LC50: No information

Irritation: No information available.

Corrosivity: No information available.

Sensitization: No information available.

Repeated dose toxicity: No information available.

Carcinogenicity: No information available.

Mutagenicity: No information available.

Toxicity for reproduction: No information available.

STOT-single exposure: No information available.

STOT-repeated exposure: No information available.

Aspiration hazard: No information available.

If no information is available above under Acute Toxicity then the acute effects of this product have not been tested. Data on individual components are tabulated below:

CAS-No. Chemical Name Oral LD50 Dermal LD50 Vapor LC50 Gas LC50 Dust/Mist LC50

111-76-2 2-butoxyethanol 470 mg/kg, rat, oral (rabbit) 450 ppm/4hrs rat, inhalation 0.000 0.000

Additional Information:

No Information

12. Ecological Information

12.1 Toxicity:

EC50 48hr (Daphnia):No informationIC50 72hr (Algae):No informationLC50 96hr (fish):No information

12.2 Persistence and degradability:No information

12.3 Bioaccumulative potential: No information

12.4 Mobility in soil: No information

12.5 Results of PBT and vPvB No information

assessment:

12.6 Other adverse effects: No information

| CAS-No. | <u>Chemical Name</u> | EC50 48hr | IC50 72hr | LC50 96hr |
|-----------|-----------------------------------|----------------|----------------|-----------|
| 111-76-2 | 2-butoxyethanol | 1000 mg/L | No information | 1490 mg/L |
| 6834-92-0 | Disodium metasilicate | No information | No information | |
| 5989-27-5 | (R)-p-mentha-1,8-diene;d-limonene | No information | No information | |

13. Disposal Considerations

WASTE TREATMENT METHODS: If recycling is not practicable, dispose of in compliance with local regulations. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport Information

14.1 UN number Not applicable

14.2 UN proper shipping name Not Regulated for Transport

Not applicable **Technical name**

NA 14.3 Transport hazard class(es)

> Not applicable Subsidiary shipping hazard

14.4 Packing group Not applicable 14.5 Environmental hazards Not applicable 14.6 Special precautions for user Not applicable Not applicable

EmS-No.:

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code

Not applicable

15. Regulatory Information

Safety, health and environmental regulations/legislation for the substance or mixture:

U.S. Federal Regulations: As follows -

CERCLA - Sara Hazard Category

This product has been reviewed according to the EPA 'Hazard Categories' promulgated under Sections 311 and 312 of the Superfund Amendment and Reauthorization Act of 1986 (SARA Title III) and is considered, under applicable definitions, to meet the following categories:

Skin Corrosion or Irritation, Serious eye damage or eye irritation

Sara Section 313:

This product contains the following substances subject to the reporting requirements of Section 313 of Title III of the U.S. Superfund Amendment and Reauthorization Act (SARA) of 1986 and 40 CFR part 372:

Chemical Name % CAS-No.

Dioxane 123-91-1 0

copper 7440-50-8 0

Toxic Substances Control Act:

This product contains the following chemical substances subject to the reporting requirements of TSCA 12(B) if exported from the United States:

No TSCA 12(b) components exist in this product.

U.S. Clean Air Act:

EPA Coating Category: Not applicable EPA VOC Content Limit (g/l): Not applicable

Product VOC Content (g/l) 142 g/l

Thinning Recommendations:

Application Recommendations:

Not applicable

Not applicable

U.S. State Regulations: As follows -

New Jersey Right-to-Know:

The following materials are non-hazardous, but are among the top five components in this product.

Chemical NameCAS-No.water7732-18-5Alcohols, C6-C12, ethoxylated, propoxylated68937-66-6Alcohols, C10-C16, ethoxylated, propoxylated69227-22-1phosphate ether68130-47-2

Pennsylvania Right-To-Know

The following non-hazardous ingredients are present in the product at greater than 3%.

Chemical NameCAS-No.water7732-18-5Alcohols, C6-C12, ethoxylated, propoxylated68937-66-6

California Proposition 65:

WARNING: Cancer - www.P65Warnings.ca.gov

No Proposition 65 Reproductive Toxins exist in this product.

International Regulations: As follows -

* Canadian DSL:

All chemical ingredients included on inventory or exempt.

^{*} As per the federal EPA definition for coating categories in 40 CFR 59.401.

^{**} Grams of VOC per liter of coating product as applied (mixture of Part A and Part B) per ASTM D2369 Method E.

15.2 Chemical Safety Assessment:

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

Other Information

Text for GHS Hazard Statements shown in Section 3 describing each ingredient:

H226 Flammable liquid and vapour. H302 Harmful if swallowed. H311 Toxic in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H332 Harmful if inhaled. H335 May cause respiratory irritation. H400 Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects. H410

Reasons for revision

Substance and/or Product Properties Changed in Section(s):
01 - Identification
08 - Exposure Controls/Personal Protection
15 - Regulatory Information
Revision Statement(s) Changed

List of References:

This Safety Data Sheet was compiled with data and information from the following sources:

- The Ariel Regulatory Database provided by the 3E Corporation in Copenhagen, Denmark.
- Joint Research Centre in Ispra, Italy.
- Regulation (EC) 1272/2008 with subsequent amendments.
- Regulation (EC) 1272/2006 with subsequent amendments.
- Commission Regulation (EU) 2020/878
- EU Council Decision 2000/532/EC and its Annex entitled "List of Wastes"
- Safety Data Sheet from raw material supplier
- The classification declared in sec. 2.2 is based on the calculation methods set out in Annex I and Annex II of the CLP Reg. 1272/2008 on the composition of the formula.

Acronym & Abbreviation Key:

CLP Classification, Labeling & Packaging Regulation

EC European Commission
EU European Union
US United States

CAS Chemical Abstract Service

EINECS European Inventory of Existing Chemical Substances

REACH Registration, Evaluation, Authorization of Chemicals Regulation

GHS Globally Harmonized System of Classification and Labeling of Chemicals

LTEL Long term exposure limit

STEL Short term exposure limit
OEL Occupational exposure limit

ppm Parts per million
mg/m3 Milligrams per cubic meter
TLV Threshold Limit Value

ACGIH American Conference of Governmental Industrial Hygienists

OSHA Occupational Safety & Health Administration

PEL Permissible Exposure Limits
VOC Volatile organic compounds

g/l Grams per liter

mg/kg Milligrams per kilogram

N/A Not applicable LD50 Lethal dose at 50%

LC50 Lethal concentration at 50%

EC50 Half maximal effective concentration

IC50 Half maximal inhibitory concentration

PBT Persistent bioaccumulative toxic chemical

vPvB Very persistent and very bioaccumulative

EEC European Economic Community

ADR International Transport of Dangerous Goods by Road RID International Transport of Dangerous Goods by Rail

UN United Nations

IMDG International Maritime Dangerous Goods Code
IATA International Air Transport Association

MARPOL International Convention for the Prevention of Pollution From Ships, 1973 as

modified by the Protocol of 1978

IBC International Bulk Container
RTI Respiratory Tract Irritation

NE Narcotic Effects

IMO International Maritime Organization

Note P: The classification as a carcinogen or mutagen need not apply; the substance

contains less than 0,1 % w/w benzene

Note 10: The classification as a carcinogen by inhalation applies only to mixtures in

powder form containing 1 % or more of titanium dioxide which is in the form of

or incorporated in particles with aerodynamic diameter \leq 10 μm .

For further information, please contact: Technical Services Department

The information on this sheet corresponds to our present knowledge. It is not a specification and it does not guarantee specific properties. The information is intended to provide general guidance as to health and safety based upon our knowledge of the handling, storage, and use of the product. It is not applicable to unusual or non-standard uses of the product or where instructions and recommendations are not followed.